Forest Ecology and Management, 60 (1993) 367–368
Elsevier Science Publishers B.V., Amsterdam

Author Index

Adesiyan, S.O., *see* Gbadegesin, R.A. et al.
Beech, D.F., *see* Russell, J.S. et al.
Bonneau, M., *see* Mohamed, A.D. et al.
Cameron, D.M., *see* Russell, J.S. et al.
Comerford, N.B., *see* Smethurst, P.J. et al.
Cunningham, R.B., *see* Lindenmayer, D.B. et al.
Dambrine, E., *see* Mohamed, A.D. et al.
Davies, Jr., K.M., *see* Woodcock, H. et al.
Davis, J.S., *see* McKenney, D.W. et al.
Dickinson, G., *see* Sun, D. et al.
Donnelly, C.F., *see* Lindenmayer, D.B. et al.
Duke, S.D., *see* Ritchie, G.A. et al.
Falkengren-Grerup, U. and Tyler, G.
Experimental evidence for the relative sensitivity of deciduous forest plants to high soil acidity 311
Farr, W.A., *see* Julin, K.R. et al.
Gbadegesin, R.A.
Effect on the development of *Pinus caribaea* seedlings of certain plant-parasitic nematodes from the savanna area of Nigeria 163
Gbadegesin, R.A., Adesiyan, S.O. and Khan, F.A.
Effects of seasonal changes on the population levels of some plant-parasitic nematodes in the plantations of *Pinus caribaea* and *P. oocarpa* in the savanna areas of Nigeria .. 345
Gelhaye, D., *see* Mohamed, A.D. et al.
Granier, A., *see* Mohamed, A.D. et al.
Hinckley, T.M., *see* Julin, K.R. et al.
Julin, K.R., Shaw III, C.G., Farr, W.A. and Hinckley, T.M.
The fluted western hemlock of Alaska. I. Morphological studies and experiments 119
Julin, K.R., Shaw III, C.G., Farr, W.A. and Hinckley, T.M.
The fluted western hemlock of Alaska. II. Stand observations and synthesis 133
Khan, F.A., *see* Gbadegesin, R.A. et al.
Khiewtam, R.S. and Ramakrishnan, P.S.
Litter and fine root dynamics of a relict sacred grove forest at Cherrapunji in north-eastern India 327
Lindenmayer, D.B., Cunningham, R.B., Donnelly, C.F., Tanton, M.T. and Nix, H.A.
The abundance and development of cavities in *Eucalyptus* trees: a case study in the montane forests of Victoria, southeastern Australia 77
Long, J.N., *see* Roberts, S.D. et al.
McKenney, D.W., Davis, J.S., Turnbull, J.W. and Searle, S.D.
Impact of Australian tree species selection research in China: an economic perspective . 59
Meade, R., *see* Ritchie, G.A. et al.
Messier, C.
Factors limiting early growth of western redcedar, western hemlock and Sitka spruce seedlings on ericaceous-dominated clearcut sites in coastal British Columbia 181

Mohamed, A.D., Ranger, J., Dambrine, E., Bonneau, M., Gelhaye, D. and Granier, A.
The effects of limestone and of limestone plus NPK fertilization on the soil and mass balance of a spruce stand (*Picea abies* (L.) Karst.) in the Vosges mountains 291
Neary, D.G., *see* Smethurst, P.J. et al.
Nix, H.A., *see* Lindenmayer, D.B. et al.
Osman, K.A. and Sharrow, S.H.
Growth responses of Douglas-fir (*Pseudotsuga menziesii* [Mirb.] Franco) to defoliation 105
Patterson III, W.A., *see* Woodcock, H. et al.
Prestwidge, D.B., *see* Russell, J.S. et al.
Ramakrishnan, P.S., *see* Khiewtam, R.S. et al.
Rance, S.J., *see* Russell, J.S. et al.
Ranger, J., *see* Mohamed, A.D. et al.
Ritchie, G.A., Tanaka, Y., Meade, R. and Duke, S.D.
Field survival and early height growth of Douglas-fir rooted cuttings: relationship to stem diameter and root system quality 237
Roberts, S.D., Long, J.N. and Smith, F.W.
Canopy stratification and leaf area efficiency: a conceptualization 143
Russell, J.S., Cameron, D.M., Whan, I.F., Beech, D.F., Prestwidge, D.B. and Rance, S.J.
Rainforest trees as a new crop for Australia 41
Searle, S.D., *see* McKenney, D.W. et al.
Sharrow, S.H., *see* Osman, K.A. et al.
Shaw III, C.G., *see* Julin, K.R. et al.
Smethurst, P.J., Comerford, N.B. and Neary, D.G.
Weed effects on early K and P nutrition and growth of slash pine on a Spodosol 15
Smethurst, P.J., Comerford, N.B. and Neary, D.G.
Predicting the effects of weeds on K and P uptake by young slash pine on a Spodosol 27
Smith, F.W., *see* Roberts, S.D. et al.
Stephens, G.R., *see* Ward, J.S. et al.
Sun, D. and Dickinson, G.
Responses to salt stress of 16 *Eucalyptus* species, *Grevillea robusta*, *Lophostemon confertus* and *Pinus caribaea* var. *hondurensis* 1
Tanaka, Y., *see* Ritchie, G.A. et al.
Tanton, M.T., *see* Lindenmayer, D.B. et al.
Tietema, T.
Biomass determination of fuelwood trees and bushes of Botswana, Southern Africa 257
Turnbull, J.W., *see* McKenney, D.W. et al.
Tyler, G., *see* Falkengren-Grerup, U. et al.
Ward, J.S. and Stephens, G.R.
Influence of crown class and shade tolerance on individual tree development during deciduous forest succession in Connecticut, USA 207
Whan, I.F., *see* Russell, J.S. et al.
Woodcock, H., Patterson III, W.A. and Davies, Jr., K.M.
The relationship between site factors and white ash (*Fraxinus americana* L.) decline in Massachusetts 271
Zhou, S.
Cultivation of *Amomum villosum* in tropical forests 157

Forest Ecology and Management, 60 (1993) 369–372
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Acidity
Experimental evidence for the relative sensitivity of deciduous forest plants to high soil acidity 311
The effects of limestone and of limestone plus NPK fertilization on the soil and mass balance of a spruce stand (*Picea abies* (L.) Karst.) in the Vosges mountains 291
Amomum villosum
Cultivation of *Amomum villosum* in tropical forests 157
Biomass
Biomass determination of fuelwood trees and bushes of Botswana, Southern Africa 257
Canopy stratification
Canopy stratification and leaf area efficiency: a conceptualization 143
Cavities
The abundance and development of cavities in *Eucalyptus* trees: a case study in the montane forests of Victoria, southeastern Australia 77
Clearcut sites
Factors limiting early growth of western redcedar, western hemlock and Sitka spruce seedlings on ericaceous-dominated clearcut sites in coastal British Columbia 181
Climax forest
Litter and fine root dynamics of a relict sacred grove forest at Cherrapunji in north-eastern India 327
Crown class
Influence of crown class and shade tolerance on individual tree development during deciduous forest succession in Connecticut, USA 207
Deciduous forest
Experimental evidence for the relative sensitivity of deciduous forest plants to high soil acidity 311
Defoliation
Growth responses of Douglas-fir (*Pseudotsuga menziesii* [Mirb.] Franco) to defoliation 105
Douglas-fir
Field survival and early height growth of Douglas-fir rooted cuttings: relationship to stem diameter and root system quality 237
Growth responses of Douglas-fir (*Pseudotsuga menziesii* [Mirb.] Franco) to defoliation 105
Economic perspective
Impact of Australian tree species selection research in China: an economic perspective . 59
Economic viability
Rainforest trees as a new crop for Australia 41
Eucalyptus
Responses to salt stress of 16 *Eucalyptus* species, *Grevillea robusta, Lophostemon confertus* and *Pinus caribaea* var. *hondurensis* 1
The abundance and development of cavities in *Eucalyptus* trees: a case study in the montane forests of Victoria, southeastern Australia 77

Fertilization
The effects of limestone and of limestone plus NPK fertilization on the soil and mass balance of a spruce stand (*Picea abies* (L.) Karst.) in the Vosges mountains 291
Flutting
The fluted western hemlock of Alaska. I. Morphological studies and experiments 119
The fluted western hemlock of Alaska. II. Stand observations and synthesis 133
Forest decline
The relationship between site factors and white ash (*Fraxinus americana* L.) decline in Massachusetts 271
Forest succession
Influence of crown class and shade tolerance on individual tree development during deciduous forest succession in Connecticut, USA 207
Fuelwood trees
Biomass determination of fuelwood trees and bushes of Botswana, Southern Africa 257
Growth
Growth responses of Douglas-fir (*Pseudotsuga menziesii* [Mirb.] Franco) to defoliation 105
Leaf area efficiency
Canopy stratification and leaf area efficiency: a conceptualization 143
Liming
The effects of limestone and of limestone plus NPK fertilization on the soil and mass balance of a spruce stand (*Picea abies* (L.) Karst.) in the Vosges mountains 291
Litter fall
Litter and fine root dynamics of a relict sacred grove forest at Cherrapunji in north-eastern India 327
Montane ash forests
The abundance and development of cavities in *Eucalyptus* trees: a case study in the montane forests of Victoria, southeastern Australia 77
Morphological studies
The fluted western hemlock of Alaska. I. Morphological studies and experiments 119
Nematode population
Effect on the development of *Pinus caribaea* seedlings of certain plant-parasitic nematodes from the savanna area of Nigeria 163
Effects of seasonal changes on the population levels of some plant-parasitic nematodes in the plantations of *Pinus caribaea* and *P. oocarpa* in the savanna areas of Nigeria .. 345
Nutrient cycling
Litter and fine root dynamics of a relict sacred grove forest at Cherrapunji in north-eastern India 327
Picea
Factors limiting early growth of western redcedar, western hemlock and Sitka spruce seedlings on ericaceous-dominated clearcut sites in coastal British Columbia 181
The effects of limestone and of limestone plus NPK fertilization on the soil and mass balance of a spruce stand (*Picea abies* (L.) Karst.) in the Vosges mountains 291
Pinus
Effect on the development of *Pinus caribaea* seedlings of certain plant-parasitic nematodes from the savanna area of Nigeria 163
Effects of seasonal changes on the population levels of some plant-parasitic nematodes in the plantations of *Pinus caribaea* and *P. oocarpa* in the savanna areas of Nigeria .. 345
Predicting the effects of weeds on K and P uptake by young slash pine on a Spodosol 27
Weed effects on early K and P nutrition and growth of slash pine on a Spodosol 15

Rainforest trees
Rainforest trees as a new crop for Australia 41
Root system
Field survival and early height growth of Douglas-fir rooted cuttings: relationship to stem diameter and root system quality 237
Rooted cuttings
Field survival and early height growth of Douglas-fir rooted cuttings: relationship to stem diameter and root system quality 237
Salt stress
Responses to salt stress of 16 *Eucalyptus* species, *Grevillea robusta, Lophostemon confertus* and *Pinus caribaea* var. *hondurensis* 1
Seasonal changes
Effects of seasonal changes on the population levels of some plant-parasitic nematodes in the plantations of *Pinus caribaea* and *P. oocarpa* in the savanna areas of Nigeria .. 345
Seedlings
Effect on the development of *Pinus caribaea* seedlings of certain plant-parasitic nematodes from the savanna area of Nigeria 163
Factors limiting early growth of western redcedar, western hemlock and Sitka spruce seedlings on ericaceous-dominated clearcut sites in coastal British Columbia 181
Shade tolerance
Influence of crown class and shade tolerance on individual tree development during deciduous forest succession in Connecticut, USA 207
Site factors
The relationship between site factors and white ash (*Fraxinus americana* L.) decline in Massachusetts 271
Soil
Experimental evidence for the relative sensitivity of deciduous forest plants to high soil acidity 311
Spodosol
Predicting the effects of weeds on K and P uptake by young slash pine on a Spodosol 27
Weed effects on early K and P nutrition and growth of slash pine on a Spodosol 15
Stands
The fluted western hemlock of Alaska. II. Stand observations and synthesis 133
Stem diameter
Field survival and early height growth of Douglas-fir rooted cuttings: relationship to stem diameter and root system quality 237
Tree development
Influence of crown class and shade tolerance on individual tree development during deciduous forest succession in Connecticut, USA 207
Tree species selection
Impact of Australian tree species selection research in China: an economic perspective . 59
Tropical forests
Cultivation of *Amomum villosum* in tropical forests 157
Weed effects
Predicting the effects of weeds on K and P uptake by young slash pine on a Spodosol 27
Weed effects on early K and P nutrition and growth of slash pine on a Spodosol 15
Western hemlock
Factors limiting early growth of western redcedar, western hemlock and Sitka spruce seedlings on ericaceous-dominated clearcut sites in coastal British Columbia 181
The fluted western hemlock of Alaska. I. Morphological studies and experiments 119
The fluted western hemlock of Alaska. II. Stand observations and synthesis 133

Western redcedar
Factors limiting early growth of western redcedar, western hemlock and Sitka spruce seedlings on ericaceous-dominated clearcut sites in coastal British Columbia 181
White ash
The relationship between site factors and white ash (*Fraxinus americana* L.) decline in Massachusetts 271